Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

sources								
Supplier's name or trade mark: Premium Living								
Supplier's address: Importabteilung, Römerstraße 39, 4600 Wels, AT								
Model identifie	r: 82270960							
Type of light so	urce:							
Lighting technology used:		LED	Non-directional or directional:	NDLS				
Light source cap-type		LED Module						
(or other electri	ic interface)							
Mains or non-mains:		NMLS	Connected light source (CLS):	No				
Colour-tuneable light source:		Yes	Envelope:	-				
High luminance light source:		No						
Anti-glare shield:		No	Dimmable:	Yes				
Product parameters								
Parameter		Value	Parameter	Value				
General product parameters:								
Energy consumption in on- mode (kWh/1000 h), rounded up to the nearest integer		24	Energy efficiency class	F				
Useful luminous flux (φuse), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°)		2 500 in Sphere (360°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	30006500				
On-mode power (P _{on}), expressed in W		24,0	Standby power (P _{sb}), expressed in W and rounded to the second decimal	0,41				
Networked standby power (P _{net}) for CLS, expressed in W and rounded to the second decimal		-	Colour rendering index, rounded to the nearest integer, or the range of CRI-values that can be set	80				
Outer	Height	2	Spectral power	See image				
dimensions without	Width	17	distribution in the	in last page				
	Depth	1 014		 				

separate control gear, lighting control parts and non- lighting control parts, if any (millimetre)			range 250 nm to 800 nm, at full-load				
Claim of equivalent power ^(a)		-	If yes, equivalent power (W)	-			
			Chromaticity	0,434			
			coordinates (x and y)	0,398			
Parameters for LED and OLED light sources:							
R9 colour rendering index value		4	Survival factor	1,00			
the lumen maintenance factor		0,96					

(a)'-': not applicable; (b)'-': not applicable;

