## **Product Information Sheet**

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

## Supplier's name or trade mark: Modern Living

Supplier's address: Importabteilung, Römerstraße 39, 4600 Wels, AT

## Model identifier: 83680193

## Type of light source:


| Lighting technology used:     | LED  | Non-directional or directional: | DLS |  |  |
|-------------------------------|------|---------------------------------|-----|--|--|
| Light source cap-type         | LED  |                                 |     |  |  |
| (or other electric interface) |      |                                 |     |  |  |
| Mains or non-mains:           | NMLS | Connected light source (CLS):   | No  |  |  |
| Colour-tuneable light source: | No   | Envelope:                       | -   |  |  |
| High luminance light source:  | No   |                                 |     |  |  |
| Anti-glare shield:            | No   | Dimmable:                       | No  |  |  |
| Product parameters            |      |                                 |     |  |  |

| Floduct parameters   |   |                              |  |              |  |  |
|--|---|------------------------------|--|--------------|--|--|
| Parameter  |   | Value                        | Parameter  | Value        |  |  |
| General product parameters:  |   |                              |  |              |  |  |
| • ·  | nption in on-<br>00 h), rounded<br>st integer                                   | 27                           | Energy efficiency<br>class   | F            |  |  |
| dicating if it refe<br>a sphere (360°)                             | s flux (фuse), in-<br>ers to the flux in<br>, in a wide cone<br>nrow cone (90º) | 2 600 in Wide<br>cone (120°) | Correlated colour<br>temperature,<br>rounded to the near-<br>est 100 K, or the<br>range of correlat-<br>ed colour temper-<br>atures, rounded to<br>the nearest 100 K,<br>that can be set | 3 000        |  |  |
| On-mode pow<br>pressed in W  | ver (P <sub>on</sub> ), ex-   | 27,0                         | Standby power (P <sub>sb</sub> ),<br>expressed in W and<br>rounded to the sec-<br>ond decimal  | 0,00         |  |  |
| (P <sub>net</sub> ) for CLS, e                                     | andby power<br>expressed in W<br>the second dec-                                | -                            | Colour rendering in-<br>dex, rounded to the<br>nearest integer, or<br>the range of CRI-val-<br>ues that can be set   | 80           |  |  |
| Outer dimen-   | Height  | 7                            | Spectral power dis-  | See image    |  |  |
| sions without<br>separate con-<br>trol gear, light-<br>ing control | Width<br>Depth  | 35<br>1 310                  | tribution in the<br>range 250 nm to 800<br>nm, at full-load  | in last page |  |  |

| parts and non-<br>lighting con-<br>trol parts, if<br>any (millime-<br>tre) |             |   |                |
|--|-------------|---|----------------|
| Claim of equivalent power <sup>(a)</sup>                                   | -           | lf yes, equivalent power (W)  | -              |
|  |             | Chromaticity coordi-<br>nates (x and y)                                       | 0,440<br>0,403 |
| Parameters for directional light   | sources:    |   |                |
| Peak luminous intensity (cd)   | 1 050       | Beam angle in de-<br>grees, or the range<br>of beam angles that<br>can be set | 120            |
| Parameters for LED and OLED lig  | ht sources: |   |                |
| R9 colour rendering index value  | 4           | Survival factor   | 0,90           |
| the lumen maintenance factor   | 0,96        |   |                |

(a)'-' : not applicable;

(b)'-' : not applicable;



Model placed on the Union market from 26/08/2024.Image: Supplementation number: 2079201EPREL registration number: 2079201https://eprel.ec.europa.eu/qr/20<br/>79201Supplier: BDSK Handels GmbH & Co. KG (Manufacturer)Website: www.xxxlgroup.comCustomer care service:Website: www.xxxlgroup.comName: ImportabteilungWebsite:Email: EPREL-info@xxxlgroup.comPhone: +4350111500949Address:<br/>Römerstraße 39<br/>Adot Webs<br/>AustriaSupplementation of the service of the serv