## **Product Information Sheet**

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

## Supplier's name or trade mark: Modern Living

Supplier's address: -

## Model identifier: 82270829-02

## Type of light source:

Lighting technology used:	LED	Non-directional or directional:	NDLS		
Light source cap-type	-				
(or other electric interface)					
Mains or non-mains:	MLS	Connected light source (CLS):	Nein		
Colour-tuneable light source:	Nein	Envelope:	-		
High luminance light source:	Nein				
Anti-glare shield:	Nein	Dimmable:	No		
Product parameters					

Parameter		Value	Parameter	Value	
- arameter				Vulue	
General product parameters:					
Energy consun mode (kWh/10 up to the neares	00 h), rounded	24	Energy efficiency class	F	
indicating if it re	us flux (фuse), efers to the flux 50º), in a wide n a narrow cone	2 500 in Sphere (360°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	4 000	
On-mode p expressed in W	oower (P <sub>on</sub> ),	24,0	Standby power (P <sub>sb</sub> ), expressed in W and rounded to the second decimal	0,00	
Networked stand for CLS, express rounded to the s	ssed in W and	-	Colour rendering index, rounded to the nearest integer, or the range of CRI- values that can be set	80	
Outer	Height	30	Spectral power	See image	
dimensions	Width	229	distribution in the	in last page	
without	Depth	229	-	Coite 4 / /	

separate control gear, lighting control parts and non- lighting control parts, if any (millimetre)		range 250 nm to 800 nm, at full-load			
Claim of equivalent power <sup>(a)</sup>	-	If yes, equivalent power (W)	-		
		Chromaticity coordinates (x and y)	0,376 0,375		
Parameters for LED and OLED light sources:					
R9 colour rendering index value	9	Survival factor	1,00		
the lumen maintenance factor	0,96				
Parameters for LED and OLED mains light sources:					
displacement factor (cos φ1)	0,90	Colour consistency in McAdam ellipses	5		
Claims that an LED light source replaces a fluorescent light source without integrated ballast of a particular wattage.	_(b)	If yes then replacement claim (W)	-		
Flicker metric (Pst LM)	0,1	Stroboscopic effect metric (SVM)	0,1		

(a)<sub>'-'</sub> : not applicable;

(b)<sub>'-'</sub> : not applicable;

