



SSEMBLY INSTRUCTION

Multidirectional ergonomics design, supply many adjustable way. No matter sitting, lying, or other postures can feel comfortable



Attention:

Please make sure the M8 screws have been installed in the backrest and the cushion. Please make sure the angle of the adjustor in the cushion is at 90 degrees.



Installation Instructions

- 1.Install wheels, the hydraulic unit and the plastic cover for
- plastic cover for hydraulic unit.


 2. Put the backrest on the bottom.

 3. Take out M8 screws and M8 tools. Fix the backrest and the bottom. (Screws have been put on the side of the backrest when delivery from factory.)
- Fix the plastic covers onto the sides of the backrest.
- 5.Screw the control unit Screw the control unit at the bottom of the chair by M8 tools. (Screws have been put at the bottom of the chair when delivery from factory. Pay attention to the direction of the control unit and make sure unit and make sure the handle is on the right after installation.)
- Insert the hydraulic unit spring into the notch of the tray.

Installation video website: http://www.dxracer.com/install-guide.aspx



Multidirectional ergonomics design Supply many adjustable ways No matter sitting, lying or other postures can feel comfortable




DXRACER CHAIR

High and straight back. The majority of present office chairs have low backs which make you unable to rest your necks. DXRACER Office Chair has successfully tackled this problem. Meanwhile, DXRACER Office Chair can help maintain a right angle batween your buttecks and walat; thus creating an important right-angled sitting position, which is one of the three right-angled sitting positions widely acknowledged by the madical circle.

angled sixting positions widely acknowledged by the mailtest circle.
Headrest, shoulder, waist and bottom will wrap you up firmly, which is the most attractive point of DXRACER office chair.


180-degree angle adjuster. The back of DXRACER Office Chair can be adjusted to any angle to satisfy your needs. It can even be lowed to a flat position so that you can lie down to nap; therefore it is especially suitable for overtime workers at night.

Adjustable height. The height of DXRACER Office Chair can be adjusted in accordance with the height of office deak and computer deak. It has high flexibility, compatibility and adaptability. Adjustable armrests. The armrests can be adjusted to appropriate height so that the armrests and your elbow joints can form right angles to support your long-time use of computer mouse. This is the second right angle widely acknowledged by the medical circle. It can protect you against slanting shoulder and kyphoels resulting from long-time fatigue of your shoulders and wrists.




Move backward the back: lift up the handle and make the back lower until getting the most suitable angle.

Move forward the back; lift up the handle, with body against the back softly and the back springs back autometically.



Lower the seat: sit on the chair, lift up the handle and the seat moves downward automatically. Heighten the seat: move body off the seat, lift up the handle and the seat springs back automatically. and the name and the sea springs back automatically. Lock up backward: press the handle and push left Uniock backward: press the handle and push right



down-button and lift up the armrest. Lower the armrest: press the armrest down-button and push the armrest.



D SERIES HEADREST CUSHION LUMBAR CUSHION INSTALLATION INSTRUCTION


Humanized chair part- headrest cushion, lumbar cushion, base on your need, liberal adjust, let you feel more comfortable



Plastic Sheet×1



Headrest Cushion×1




Lumbar Cuehion×1





put headrest cushion on the head of back




DIRECT SUN


METHOD TWO



Lead the pillow belt though the lozenge holes of the headrest.



Tighten the pillow with plastic buckle.




Finish the installation according to the illustration.

Make the belt of lumbar cushion through the interlining of back

Lumbar cushion installation



Connect with the other end



As shown, the installation is finished





IMPORTANT INFORMATION ON PRODUCT INSTALLATION AND USE

Thank you very much for buying DXRACER products. Please read this instruction carefully before you use this product.

In the meanwhile, we hope you will love and support our products as you always do Please keep it properly after reading this instruction.


Guidelines when installation (Make sure you read it carefully before installation).

- 1. Count every parts and check for defects carefully.
- 2. The installation work may damage the floor, so work on soft floor or put on soft mat on the floor.
- 3. Wearing gloves for protection is strongly suggested.
- 4. Hydraulic unit is hard to disassemble once it's put on.


When it needs to be disassembled during cases like moving house, please tap the head of hydraulic unit several times with rubber hammer. Then continuously tap the bottom of hydraulic unit after removing the seat. This procedure needs tools, so be careful of getting hurt. (This operation may cause product damage. This kind of damage is not covered by warranty. So be very careful when doing this).

Read the following before use.

- 1. Use it as a chair only. No other functions.
- 2. Don't step on the chair or use it as a ladder. It may tip over. So be careful.
- 3. Put on soft pad when use it on hard floor. Otherwise it may damage the floor.
- 4. Because of the possible danger of tip-over, please use the production on flat.
- 5. More than one person using this product at the same time is not allowed. Two persons using the product at the same time may affect the stability which causes danger on a certain level. So, please don't do it.
- 6.Don't move the chair when it's loaded with things. It's dangerous.
- 7. Don't put hot things around the chair. This may cause fire.
- 8. To avoid direct sunlight.
- 9. Don't use it in places with smoke or moisture.
- 10. Please use soft dry cloth to wipe it gently during daily cleaning.
- 11. If dirt which is hard to remove is found on the chair, wipe it with soft cloth dipping inside water with 2% neutral cleaning agent. Then wipe it with dry cloth until it's dry.
- 12. Please be noted that disassembling hydraulic unit is strictly forbidden.
- 13. Use instructions for other products can also be found on manuals. Please confirm carefully.



Don't lift your feet when you lie on the chair flatly.



When you lie on the chair flatly, don't push the headrest down.